Pre-Departure Checklist

_	

Life Jackets

Have at least one Coast Guard-approved life jacket per passenger and a minimum of two on board.

Explain the location and use of all life jackets to passengers and crew that may be new to the vessel.

Sound Producing Devices

Have a horn capable of producing a four-second blast audible for at least 1/2 mile on board.

Attach a whistle to each life jacket.

An additional throwable device is required if the vessel is more than 16 feet long.

If you use portable air horn, have a spare can of air or an alternate device

Lights and Shapes

Have all navigation lights as required for your boat.

If you intend to engage in a recreational boating activity that requires a day-shape, have the required shapes.

- Make sure all instrument lights are working.
- Have aboard a flashlight and spare batteries.

Distress Signals

Make flares, day signals, etc., accessible and ensure they are stored in a dry location.

Inform the crew and passengers of their location and safety rules for proper usage.

Tools and Spares Carry a box of spares including fuel filter, light bulbs, head Carry a basic toolbox with tools appropriate for your boat. parts, through-hull plugs, etc. Check to ensure you have a standard first-aid kit onboard Fuel and Oil Top off your fuel tanks. If you can't, have enough fuel to provide a reasonable margin of safety for your return. Check the engine oil and coolant levels. **Fire Extinguishers** Carry at least one fire extinguisher and make sure it is Check to be sure mounts are secure and functional before accessible. Make sure you have at least the number departure. required by Coast Guard rules. Take the time to point out locations to passengers and crew. Ventilation On any powered vessel or auxiliary powered sailboat, or If fuel smells are detected before ventilating, check after vessels using LPG for cooking or heat, check that all running the blowers for several minutes before starting. interior spaces are well ventilated before departure. If odor persists, shut down the engine and look for the source of the leak. For any enclosed or semi-enclosed area, ensure you have at least one properly installed and working carbon monoxide detector Bilges Check to be sure bilges are reasonably dry and that Clean up any spilled oil or waste in bilges to prevent pumps are not running excessively. overboard discharge. Weather Forecast Always check the weather forecast before boating. Have a radio on board to receive weather updates. **Battery Care** If you have a dual charging system, make sure the Make sure the power is on to the entire vessel. selector switch in the proper position.

Have aboard spare batteries for accessories such as your handheld radio, flashlight, portable navigational aid, etc.

If the batteries are rechargeable, make sure they're charged.

Docking and Anchoring Tips

Have at least one anchor set up and bent-on to your anchor line.

Carry two or three extra dock lines in case you encounter unusual conditions dockside.

Visually inspect the lines you use for chafe or wear.

Carry at least two fenders on-board for docking or towing if required. Make and Share Free Checklists checkli.com